

## EAST Search History

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	1	(configurable logic) NEAR15 data stream	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	OFF	2008/02/07 10:52
L2	0	(dynamic NEAR5 reconfigura\$4) NEAR15 data stream	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	OFF	2008/02/07 10:54
L3	11	"6658564"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	OFF	2008/02/07 10:58
L4	12	"6401221"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/02/07 11:02
L7	128	("20010010074" "20020045952" "20020083308" "20030014743" "20030056085" "20030123579" "20030192032" "20040168099" "20040199688" "4233667" "4489857" "4498134" "4720778" "5311079" "5392437" "5600845" "5737516" "5841973" "5887165" "5892962" "5926638" "5933642" "5960200" "5970254" "5978260" "5996083" "6003143" "6020758" "6023564" "6058469" "6086628" "6150837" "6150839" "6170051" "6173434" "6211697" "6212650" "6219833" "6230307" "6240502" "6282701" "6286134" "6301706" "6321373" "6398383" "6404224" "6421809" "6421917" "6434695" "6434699" "6435054" "6437441" "6490695" "6496971" "6504398" "6542844" "6587939" "6687788" "6704816" "6717436" "6721830" "6728871" "6757847" "6785826" "6961924").PN.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/02/07 14:26

## EAST Search History

S1	0	DE10028397A.did.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2006/11/20 09:49
S2	0	DE-10028397-A.did.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2006/11/20 09:50
S3	4	\$-10028397-\$.did.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2006/11/20 10:02
S4	1	\$-19651075-\$.did.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2006/11/20 10:29
S5	3	\$-9940522-\$.did.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2006/11/21 10:09
S6	125	(data NEAR2 stream NEAR2 memory) AND "712".clas.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2006/11/20 10:38
S7	6	(data NEAR2 stream NEAR2 memory) NEAR2 register AND "712".clas.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2006/11/20 10:41

## EAST Search History

S8	34	(data stream memory) AND "712".clas.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2006/11/20 10:42
S9	4	(RAM PAE) AND "712".clas.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2006/11/20 10:42
S10	0	((register NEAR3 allocat\$3) AND (register NEAR3 (de\$allocat\$3 OR free\$3 OR releas\$3 OR reset\$4))) AND 712/10,15.clas.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	OFF	2006/11/20 11:08
S11	400	((register NEAR3 allocat\$3) AND (register NEAR3 (de\$allocat\$3 OR free\$3 OR releas\$3 OR reset\$4))) AND "712".clas.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	OFF	2006/11/20 11:03
S12	2	S11 AND S6	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	OFF	2006/11/20 11:04
S13	50	"712".clas. AND (register NEAR5 RAM) SAME (allocat\$3 OR de\$allocat\$3 OR free\$3 OR releas\$3)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	OFF	2006/11/20 11:08
S14	2	((register NEAR3 allocat\$3) AND (register NEAR3 (de\$allocat\$3 OR free\$3 OR releas\$3 OR reset\$4))) AND 712/10,15.ccls.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	OFF	2006/11/20 11:09

## EAST Search History

S15	222	712/15.ccls.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	OFF	2006/11/20 13:08
S16	3	712/15.ccls. AND (RAM NEAR10 (PAE OR (process\$3 NEAR3 array NEAR3 element) OR (process\$3 NEAR3 element)))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	OFF	2006/11/20 11:11
S17	24	712/15.ccls. AND (register NEAR10 (PAE OR (process\$3 NEAR3 array NEAR3 element) OR (process\$3 NEAR3 element)))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	OFF	2006/11/20 11:17
S18	2	S15 AND ((register set OR set OR register OR context) NEAR2 (change OR switch)) SAME \$2alloc\$5	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	OFF	2006/11/20 11:21
S19	5	S15 AND (vector NEAR2 register)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	OFF	2006/11/20 11:23
S21	74	(allocat\$3 OR de\$allocat\$3 OR free\$3 OR releas\$3 OR reset\$4) NEAR10 (vector NEAR2 register) AND "712".clas.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	OFF	2006/11/20 11:27
S22	11	(allocat\$3 OR de\$allocat\$3 OR free\$3 OR releas\$3 OR reset\$4) NEAR10 (vector NEAR2 register) AND context switching AND "712". clas.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	OFF	2006/11/20 11:29

## EAST Search History

S23	37	(allocat\$3 OR de\$allocat\$3 OR free\$3 OR releas\$3 OR reset\$4) NEAR10 (vector NEAR2 register) AND \$2configura\$5 AND "712".clas.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	OFF	2006/11/20 11:31
S24	16	Vector Register Allocation	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	OFF	2006/11/20 11:40
S25	7	multithread\$3 NEAR3 register NEAR3 (allocat\$3 OR assign\$4) AND "712".clas.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	OFF	2006/11/20 11:41
S26	68	multi\$thread\$3.ab. AND register set AND "712".clas.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	OFF	2006/11/20 13:01
S27	49	(\$2configura\$4 OR \$2programm\$4) AND register set NEAR8 (switch OR swap OR change) AND "712".clas.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	OFF	2006/11/20 13:06
S28	5	(\$2configura\$4 OR \$2programm\$4) AND register set NEAR8 (switch OR swap OR change) AND multithread\$4 AND "712".clas.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	OFF	2006/11/20 13:06
S29	20	712/15.ccls. AND register set	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	OFF	2006/11/20 13:12

## EAST Search History

S30	58	(register window).ti.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2006/11/20 14:55
S31	22	(register window).ti. AND "712". clas.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2006/11/20 14:55
S32	28	register NEAR5 (read NEAR2 write NEAR2 simultaneous\$3) AND "712". clas.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2006/11/20 15:22
S33	14	FIFO memory SAME divi\$4 AND "712".clas.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2006/11/20 15:24
S34	142	FIFO (memory OR register) SAME (read OR write) AND "712".clas.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2006/11/20 15:30
S35	17	FIFO NEAR2 register NEAR10 pointer AND "712".clas.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2006/11/20 15:30
S36	4	\$-10028397-\$.did.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2006/11/21 10:09

## EAST Search History

S37	1	\$-19651075-\$.did.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2006/11/21 10:13
S38	4	\$-940522-\$.did.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2006/11/21 10:13
S39	3	\$-9940522-\$.did.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2006/11/21 10:13
S40	19	(FIFO NEAR2 (register OR queue)) NEAR10 (boundar\$3 OR divid\$3 OR split\$3 OR partition\$3 OR subdivid\$3 OR separat\$3) AND "712".clas.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2006/11/21 14:19
S41	369	(FIFO NEAR2 (register OR queue)) NEAR10 (boundar\$3 OR divid\$3 OR split\$3 OR partition\$3 OR subdivid\$3 OR separat\$3)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2006/11/21 14:19
S42	350	(FIFO NEAR2 (register OR queue)) NEAR10 (boundar\$3 OR divid\$3 OR split\$3 OR partition\$3 OR subdivid\$3 OR separat\$3) NOT S40	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2006/11/21 14:19
S43	2	"20040168099"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2006/11/21 15:18

## EAST Search History

S44	0	712/15.ccls. AND ((data NEAR4 cells) NEAR10 reconfigurable) AND (stack SAME underflow SAME overflow)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2006/11/21 15:20
S45	0	712/15.ccls. AND reconfigurable AND (stack SAME underflow SAME overflow)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2006/11/21 15:21
S46	0	712/15.ccls. AND (stack SAME underflow SAME overflow)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2006/11/21 15:21
S47	4	712/15.ccls. AND stack AND underflow AND overflow	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2006/11/21 15:22
S48	12	((stack underflow AND stack overflow) NEAR10 indicat\$3) AND "712".clas.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2006/11/21 15:45
S49	6	((stack underflow AND stack overflow) NEAR10 indicat\$3) AND "712".clas. AND \$2configur\$5	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2006/11/21 15:27
S50	169	stack AND overflow AND underflow AND (reconfigurable OR reprogrammable)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2006/11/21 15:28



## EAST Search History

S51	44	stack AND overflow AND underflow AND (reconfigurable OR reprogrammable) AND "712".clas.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2006/11/21 16:08
S52	2	stack AND overflow AND underflow AND (reconfigurable OR reprogrammable) process\$3 AND "712".clas.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2006/11/21 15:29
S53	201	((reconfigurable OR reprogrammable) (processor OR architecture OR comput\$3)).ti.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2006/11/21 15:35
S54	1	S53 AND (stack SAME (overflow OR underflow))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2006/11/21 15:36
S55	1	S53 AND (stack AND (overflow OR underflow))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2006/11/21 15:36
S56	1	S53 AND (stack SAME exception)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2006/11/21 15:40
S57	8	S53 AND (stack AND exception)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2006/11/21 15:40

## EAST Search History

S58	295	stack AND reconfigur\$5 AND exception AND "712".clas.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2006/11/21 15:45
S59	103	(stack SAME exception) AND reconfigur\$5 AND "712".clas.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2006/11/21 15:50
S60	12	(stack AND exception) AND reconfigur\$5.ti. AND "712".clas.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2006/11/21 16:06
S61	240	stack SAME (overflow) AND underflow AND "712".clas.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2006/11/21 16:06
S62	193	stack SAME (overflow AND underflow) AND "712".clas.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2006/11/21 16:10
S63	15	stack SAME (overflow AND underflow) AND "712".clas. AND (reconfigur\$5 OR reprogram\$5)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2006/11/21 16:12
S64	113	stack SAME (exception) AND "712". clas. AND (reconfigur\$5 OR reprogram\$5)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2006/11/21 16:12

## EAST Search History

S65	12	reconfigur\$4.ti. AND "712".clas. AND vector register	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2006/11/22 08:00
S66	0	"09902959"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2006/11/22 08:01
S67	92	vector register AND data stream AND "712".clas.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2006/11/22 08:03
S68	171	Reconfigurable AND Array AND Macrocells	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2006/11/22 08:02
S69	3	(Reconfigurable AND Array AND Macrocells).ti.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2006/11/22 08:02
S70	6	(vector register SAME data stream) AND "712".clas.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2006/11/22 08:04
S71	98	(register NEAR5 data stream) AND "712".clas.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2006/11/22 08:06

## EAST Search History

S72	37	(register NEAR5 data stream) AND (reconfigur\$5 OR reprogram\$5) (process\$3 or comput\$3) AND "712".clas.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2006/11/22 08:08
S73	148	Panwar.IN.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2006/11/22 08:10
S74	1	WO9940522	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2006/11/28 08:35
S75	110	"712".clas. AND watchdog timer	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/07/12 10:01
S76	3	"712".clas. AND watchdog timer AND (reconfigurable NEAR6 configuration)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/07/12 09:56
S77	0	"712".clas. AND (watchdog timer NEAR6 trap)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/07/12 09:56
S78	4	"712".clas. AND (watchdog timer SAME maximum)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/07/12 09:56

## EAST Search History

S79	5976	watchdog timer	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/07/12 10:01
S80	46	watchdog timer SAME trap	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/07/12 10:01
S81	1873	watchdog timer SAME \$2interrupt\$4	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/07/12 10:01
S82	54	watchdog timer SAME \$2interrupt\$4 SAME maximum	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/07/12 10:02
S83	1	watchdog timer SAME \$2interrupt\$4 SAME maximum SAME multithread\$3	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/07/12 10:02
S84	54	watchdog timer SAME \$2interrupt\$4 SAME maximum	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/07/12 10:03
S85	0	watchdog timer SAME uninterruptible	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/07/12 10:03

## EAST Search History

S86	35	watchdog timer SAME execution \$3time	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/07/12 10:04
S87	26	maximum SAME execution time SAME (thread OR block OR subroutine OR path OR group) SAME (interrupt\$4 OR uninterrupt\$4)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/07/12 10:12
S88	1	(time shar\$3) AND (maximum SAME execution SAME \$3time SAME (interruptible OR uninterruptible))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/07/12 10:14
S89	7	(maximum SAME execution SAME \$3time SAME (interruptible OR uninterruptible))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/07/12 10:15
S90	147	multithread\$3 AND (maximum SAME execution SAME \$3time)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/07/12 10:16
S91	32	multithread\$3 AND (maximum NEAR7 execution near7 \$3time)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/07/12 10:20
S92	76	time sharing AND watchdog timer	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/07/12 10:22

## EAST Search History

S93	1193	time sharing AND (maximum NEAR4 (time OR duration))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/07/12 10:23
S94	22	time sharing AND (maximum NEAR4 (time OR duration) NEAR4 task)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/07/12 10:33
S95	0	(watchdog timer NEAR6 TRAP) AND multitasking	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/07/12 10:33
S96	11	(watchdog timer NEAR6 TRAP)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/07/12 10:34
S97	0	(watchdog timer NEAR6 each)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/07/12 10:34
S98	140	(watchdog timer NEAR6 \$2configura\$4)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/07/12 10:37